

ELECTRONIC APPENDIX—RESEARCH AREA COVER SHEETS

Below are the 32 cover sheets addressing the research areas represented by the nominated topics provided to the committee to guide their prioritization process. The data included the committee’s condition-level criteria pertinent to the specific research area.

Alcoholism, Drug, and Overdose

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	---------------------	-------------------	---------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected Conditions, including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	--------------------	--------------------	-------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Substance abuse	X	X		X
Tobacco use		X		X
Alcohol use				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Alcoholism or substance abuse	893	82	73	624	1212
Smoking	399	162	56	511	928

Birth and Developmental

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Congenital malformations, deformations and chromosomal		X		
Congenital malformations and deformations			X	

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based,

Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Perinatal conditions		X		
Congenital anomalies		X		

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Developmental delays	X			
Autism	X			
Prenatal and early infancy interventions				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Autism	48	23	3	94	151
Speech and language disorders in children	28	1	0	18	46

Cardiovascular and Peripheral Vascular

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Hypertension	X			X
Hyperlipidemia	X			X
Heart conditions	X			X

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Ischemic heart diseases	X			X
Acute myocardial Infarction	X			X
Cerebro-vascular diseases	X			X
Heart failure	X			X
Hypertensive heart disease	X			X
Major cardiovascular diseases			X	
Diseases of heart			X	

Morbidity- Number of Events for Selected conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Hypertension	X	
Heart conditions	X	

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Heart conditions	X			X
Hypertension	X			X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
Congestive heart failure		X
Cardiac arrhythmia		X
Stroke		X
PCI	X	
Lower extremity bypass	X	
Carotid endarterectomy	X	
CABG	X	

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Cardiovascular disease, including stroke and hypertension	X	X		X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Anticoagulant therapy for myocardial infarction	6	43	1	37	74
Anticoagulant therapy for stroke	9	43	0	44	81
Cardiac	107	154	3	287	537

imaging					
Congestive heart failure	87	227	35	268	537
Hyperlipidemia	103	365	22	257	666
Hypertension	535	1080	74	1211	2616
Stable angina pectoris or acute coronary syndrome	93	151	6	262	439

Complementary and Alternative Medicine

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	---------------------	-------------------	---------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	--------------------	--------------------	-------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
------------------	---	---------------------------------	-----------------------------------	----------------------

No conditions on any lists

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Acupuncture	74	0	12	129	202

Endocrinology and Metabolism

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Diabetes mellitus	X			X
Thyroid disease	X			
Other endocrine, nutritional and immune disorders	X			

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Diabetes melitus	X			X

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Diabetes melitus	X	
Other endocrine, nutritional and immune disorders		X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Diabetes mellitus	X			X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Diabetes mellitus	X	X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Diabetic retinopathy	41	91	3	142	255
Glucose monitoring in diabetes	49	93	15	126	232
Type 2 diabetes treatment	184	1222	35	672	1916

Eyes, Ears, Nose, and Throat

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Other eye disorders	X	X	X	
Otitis media	X	X	X	

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office

based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Otitis media		X
Other eye disorders		X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based,

Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Otitis media		X	X	
Other eye disorders			X	
Tonsillitis			X	

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Vision and hearing		X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Diabetic retinopathy	41	91	3	142	255
Glaucoma	32	234	4	216	232
Hearing loss/cochlear implants	1	6	3	4	14

Functional Limitation and Disabilities

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	---------------------	-------------------	---------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	--------------------	--------------------	-------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Functional limitations and disabilities	X	X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Rehabilitation	257	201	181	682	1180

Gastrointestinal

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Disorders of the upper GI	X			X
Intestinal infection			X	

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Disorders of the upper GI		X		
Intestinal infection		X		

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
Gastroenteritis		X
Gastro-intestinal hemorrhage		X

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Peptic ulcer disease and dyspepsia	X			

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total

No conditions were searched

Geriatrics

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	65+ years (8)
Hypertension	X
Hyperlipidemia	X
Heart conditions	X
Diabetes mellitus	X
Disorders of the upper GI	X
Osteoarthritis and other nontraumatic joint disorders	X
COPD, asthma	X

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	65+ years (20)
Ischemic heart diseases	X
Acute myocardial Infarction	X
Cerebro-vascular diseases	X
Heart failure	X
Hypertensive heart disease	X
Diabetes mellitus	X
Influenza and pneumonia	X
Septicemia	X
Renal failure	X
Alzheimer's	X
Parkinson's	X
Malignant neoplasms of trachea, bronchus, and lung	X
Malignant neoplasms of lymphoid and hematopoietic	X
Malignant neoplasms of colon, rectum and anus	X
Malignant neoplasm of breast	X
Malignant neoplasm of pancreas	X
Malignant neoplasm of prostate	X
Chronic lower respiratory diseases	X
Accidents	X

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office

based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)
-----------	---------------------

Age breakdown not available

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	Age 65+years (10)
Heart conditions	X
Hypertension	X
Diabetes mellitus	X
Osteoarthritis and other nontraumatic joint disorders	X
Back problems	X
Cancer	X
Mental disorders	X
COPD, asthma	X
Trauma related disorders	X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)

Age breakdown not available**Condition Appears on Other Priority Lists**

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)

Age breakdown not available

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total

No conditions were searched

Immune System, Connective Tissue and Joints

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Osteoarthritis and other nontraumatic joint disorders	X			X
Systemic lupus and connective tissues disorders	X			
Allergic reactions			X	

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Osteoarthritis and other non-traumatic joint disorders	X	
Systemic lupus and connective tissue disorders	X	
Allergic reactions		X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Osteoarthritis and other nontraumatic joint disorders	X			X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
Knee replacement		X

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Arthritis and non-traumatic joint disorders	X	X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Biological agents for immune and autoimmune disorders	14	116	0	66	186
Joint replacement surgery	11	75	5	81	142

Infectious Diseases

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Infectious diseases	X	X	X	

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Influenza and pneumonia	X			X
Septicemia	X			X
Infections specific to the perinatal period		X		
Bacterial sepsis of newborn		X		

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Infectious diseases		X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Infectious disease		X	X	

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
Septicemia		X
Simple Pneumonia		X

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Infectious diseases	X	X		
HIV/AIDS	X	X		
Immunization		X		
STD's		X		
Malaria, dengue and diarrhea				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Methicillin-resistant staphylococcus aureus	7	48	6	58	104
HIV/AIDS	1779	1412	120	1163	3772

Kidney and Urinary Track

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Renal failure	X			X

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Kidney Disease				X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
TURP for BPH	X	

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Chronic kidney disease		X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
 Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Early prostate cancer	31	21	12	64	99
Urinary incontinence treatment	27	161	10	131	297

Musculoskeletal

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Back problems	X			
Other bone and musculo-skeletal disease	X			

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Back problems	X	

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Back problems	X			X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
Back surgery	X	X
Hip fracture discharge	X	X
Hip replacement	X	
Knee replacement	X	

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Osteoporosis		X		
Chronic back pain		X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Low back pain	44	119	31	159	314

Neurologic

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Other CNS disorders	X		X	

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Alzheimer's	X			X
Parkinson's				X

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Epilepsy and convulsions			X	

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Dementia, including Alzheimer's	X			

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Alzheimer's	127	331	29	210	608
Imaging procedures for neurologic diseases	270	42	11	121	393
Treatment of chronic pain	154	310	52	403	809

Nutrition (including obesity)

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	---------------------	-------------------	---------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	--------------------	--------------------	-------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Obesity/overweight	X	X		
Nutrition		X		
Physical activity and fitness		X		X
Nutrition and gender disparities				X
Healthier food choices, supermarkets and pricing food policies				X
Nutrition of refugees and displaced populations				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Obesity treatments and bariatric surgery	11	16	2	42	58

Oncology and Hematology

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Cancer	X			

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Malignant neoplasms of trachea, bronchus, and lung	X			X
Malignant neoplasms of lymphoid and hematopoietic	X			X
Malignant neoplasms of colon, rectum and anus	X			X
Malignant neoplasm of breast	X			X
Malignant neoplasm of pancreas	X			X
Malignant neoplasm of prostate	X			X
Malignant neoplasms			X	

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Cancer	X	

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Cancer	X			X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
Mastectomy for cancer	X	

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Cancer	X	X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Breast cancer	930	977	41	1799	2937
Colorectal cancer screening techniques	18	2	5	41	54
Imaging procedures for cancer	327	223	15	677	1023

Oral Health

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	---------------------	-------------------	---------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions, including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	--------------------	--------------------	-------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Oral health		X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total

No conditions were searched

Palliative and End-of-Life Care

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	---------------------	-------------------	-----------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	---------------------	-------------------	---------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	--------------------	--------------------	-------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Appropriate and compassionate care for patients with life-limiting illnesses			X	

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/ Organizations	Total
Palliative care	44	48	13	140	207

Pediatrics

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	Age 0-1 years (5)	Ages 1- 17 years (11)
Other eye disorders	X	X
Otitis media	X	X
Intestinal infection		X
Allergic reactions		X
Infectious diseases	X	X
Other CNS disorders		X
Mental Disorders		X
COPD, asthma	X	X
Acute bronchitis and URI	X	X
Skin disorders		X
Trauma related disorders		X

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	Age 0-1 years (8)	Ages 1-14 years (6)
Sudden infant death syndrome	X	
Congenital malformations, deformations and chromosomal	X	
Congenital malformations and deformations		X
Major cardiovascular diseases		X
Diseases of heart		X
Infections specific to the perinatal period	X	
Bacterial sepsis of newborn	X	
Malignant neoplasms		X
Other respiratory conditions originating in the perinatal	X	
Respiratory distress of newborn	X	
Accidents	X	X
Assault (homicide)		X
Disorders related to length of gestation and fetal	X	

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	Ages 0-17 years (12)
Other endocrine, nutritional and immune disorders	X
Otitis media	X
Other eye disorders	X
Allergic reactions	X
Infectious diseases	X
Mental disorders	X
COPD, asthma	X
Acute bronchitis and URI	X
Skin disorders	X
Trauma related disorders	X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	Age 0-1 years (10)	Age 1-17years (10)
Perinatal conditions	X	
Congenital anomalies	X	
Otitis media	X	X
Other eye disorders		X
Tonsillitis		X
Disorders of the upper GI	X	
Intestinal infection	X	
Infectious diseases	X	X
Epilepsy and convulsions		X
COPD, asthma	X	X
Acute bronchitis and URI	X	X
Skin disorders		X
Trauma related disorders	X	X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)

Age breakdown not available

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
ADHD	X			
Child health		X		
Health education/school-based interventions				X
Reduce health risk behaviors through improving protective environments for adolescents				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
 Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
ADHD	99	198	0	161	391
Dental cancer	54	8	2	50	91

Psychiatric

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Mental Disorders	X		X	

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Intentional self-harm (suicide)	X			

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Mental disorders	X	X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Mental disorders	X		X	X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Depression	X			
Mental health disorders	X	X		X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Depression	814	849	163	1572	2871

Racial and Ethnic Disparities

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	------------------------	----------------------	--------------------------	---------------

No conditions on any list

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years 20n)
-----------	------------------------	----------------------	------------------------	----------------

No conditions on any list

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any list

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	-----------------------	-----------------------	----------------------

No conditions on any list

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	--	---

No conditions on any list

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)

No conditions on any list

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total

No conditions were searched

Respiratory

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
COPD, asthma	X	X	X	X
Acute bronchitis and URI	X	X	X	

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Other respiratory conditions originating in the perinatal		X		
Respiratory distress of newborn		X		
Chronic lower respiratory diseases				X

Morbidity- Number of Events for Selected conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
COPD, asthma	X	X
Acute bronchitis and URI	X	X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
COPD, asthma	X	X	X	X
Acute bronchitis and URI		X	X	

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
COPD		X

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Pulmonary disease	X	X		
Asthma	X			

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009

Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Asthma in children	203	387	9	313	831

Safety and Quality of Health Care

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
-----------	------------------------	----------------------	--------------------------	---------------

No conditions on any lists

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
-----------	------------------------	----------------------	------------------------	----------------

No conditions on any lists

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
-----------	---------------	-----------------------	-----------------------	----------------------

No conditions on any lists

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	--	---

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Access to quality health services		X		
Education and community based programs		X		X
Environmental health		X		
Food safety		X		
Health communication		X	X	
Medical product safety		X		
Occupational safety and health		X		
Public health infrastructure		X		
Safety and reliability of healthcare system			X	
Coordination of care			X	
Overuse/misuse of care			X	
Organizational capacity				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total

No conditions were searched

Skin

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (n)
Skin disorders	X		X	

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)

No conditions on any lists

Morbidity- Number of Events for Selected conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Skin disorders	X	X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Skin disorders			X	

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)

No conditions on any lists

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Skin cancer	1293	1140	51	2178	3657

Trauma, Emergency Medicine, and Critical Care Medicine

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006

MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (20)
Trauma related disorders	X		X	

Mortality- Number of deaths, 2005

National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Accidents	X	X	X	X
Assault (homicide)			X	

Morbidity- Number of Events for Selected conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
Trauma related disorders		X

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006

MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Trauma related disorders	X	X	X	X

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Injury and violence prevention		X		

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Traumatic brain injury	37	25	45	152	215

Women's Health (Includes pregnancy)

(n) the number in parenthesis signifies the number of conditions on the particular list

X signifies condition appears on the list of the top (n) conditions

Blank signifies that condition does not appear on the list of the top (n) conditions

Prevalence- Number of people receiving care for selected conditions, 2006
MEPS Survey Data

Condition	All age groups (20)	Age 0-1 years (5)	Ages 1- 17 years (11)	65+ years (8)
Female genital disorders and contraception	X			

Mortality- Number of deaths, 2005
National and Vital Statistics Report

Condition	All age groups (20)	Age 0-1 years (8)	Ages 1-14 years (6)	65+ years (20)
Disorders related to length of gestation and fetal		X		

Morbidity- Number of Events for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Age groups (12)	Ages 0-17 years (12)
-----------	---------------------	----------------------

No conditions on any lists

Cost- Total Expenses for Selected Conditions including: Hospital outpatient or office based, Hospital inpatient, ER, Home health visits and Prescribed medicines, 2006
MEPS Survey Data

Condition	All Ages (10)	Age 0-1 years (10)	Age 1-17years (10)	Age 65+years (10)
Normal birth-live born	X			

Variability- The Dartmouth Institute for Health Policy and Clinical Practice Data, 2009

Condition	Variation of hospitalization for procedure (11)	Variation in treatment for conditions (11)
-----------	---	--

No conditions on any lists

Condition Appears on Other Priority Lists

Condition	AHRQ Effective Healthcare program (19)	Healthy People 2010 (32)	National Quality Forum (5)	Cochrane (15)
Pregnancy, including pre-term birth	X			
Family planning		X		
Maternal, infant and child health		X		
Gender disparities				X
Increase use of health services by women				X
Improve nutrition of women of child-bearing age				X

Funding Gap – Number of Trials by Sponsor Type, 2/2000-4/2009
Clinicaltrials.gov

Condition	NIH	Industry	Other Federal Agencies	Universities/Organizations	Total
Ovarian cancer	462	272	12	663	1 1 13
Prenatal care and delivery	75	12	4	83	155

REFERENCES

- AHRQ (Agency for Healthcare Research and Quality). 2009. Medical expenditure panel survey. <http://www.meps.ahrq.gov/mepsweb/> (accessed March 10, 2009).
- Doyle, J., E. Waters, D. Yach, D. McQueen, A. De Francisco, T. Stewart, P. Reddy, A. M. Gulmezoglu, G. Galea, and A. Portela. 2005. Global priority setting for Cochrane systematic reviews of health promotion and public health research. *Journal of Epidemiology and Community Health* 59:193-197.
- HHS (U.S. Department of Health and Human Services). 2000. Healthy people 2010: Understanding and improving health. Place Published: U.S. Government Printing Office. <http://purl.access.gpo.gov/GPO/LPS4217> (accessed April 3, 2009).
- Kung, H.-C., D. L. Hoyert, J. Xu, S. L. Murphy, and Division of Vital Statistics. 2008. *Deaths: Final data for 2005. National Vital Statistics Reports* National Center for Health Statistics.
- NIH (National Institutes of Health). 2009. Clinicaltrials.Gov. <http://www.clinicaltrials.gov/> (accessed June 5, 2009).
- NPP (National Priorities Partnership). 2008. *National priorities and goals*. Washington, DC: National Quality Forum.
- Wennberg, J. E. 2009 (unpublished). *Recommendations to the institute of medicine on comparative effectiveness research priorities*. The Dartmouth Institute for Health Policy and Clinical Practice.
- Whitlock, E. P., S. A. Lopez, S. Chang, M. Helfand, M. Eder, and N. Floyd. 2009. Identifying, selecting, and refining topics for comparative effectiveness systematic reviews: AHRQ and the Effective Health Care Program. <http://effectivehealthcare.ahrq.gov/repFiles/20090427IdentifyingTopics.pdf> (accessed June 5, 2009).